



SUB

2,4 m³ / 3,2 m³

- compatible to 1100l pick-up-systems – interface according to DIN EN 840
- sensational lid-system without swing arm for lid opening
- made of high quality steel and steel sheets
 - cold rolled thin sheet, able for hot-dip-galvanizing -
- front-, rear- and sidewalls solidly ribbed
- surrounding frame at the top
- body and frame welded to each other all around
- all steel metal parts are hot-dip-galvanized according to DIN EN ISO 1461
- high quality drainage plug with bayonet joint in the bottom
- foot-pedal for back lid opening as standard
- mechanical supported steel lid at both sides - easily to open
- combination of castor and standing panels for use with side loader technology



Side-Spilling-Bin SUB 2,4 m³ / 3,2 m³





Bleiche 4
09456 Annaberg-Buchholz - GERMANY
Phone: +49 (0) 37 33 - 5599 0 Fax: 5599 111
Email: info@IVB-Umwelttechnik.com
Web: www.IVB-Umwelttechnik.com



IVB Umwelttechnik GmbH

Your Partner for Recycling Bin Systems



dimension \ bin	SUB 2,4	SUB 3,2
a - width	1430	1430
b - height	1670	1800
c - depth	1300	1500
d - throw in height	1250	1300
e - lower interface width	1240	1240
f - upper interface width	1390	1390

Side-Spilling-Bin SUB 2,4 m³ / 3,2 m³

Compatible to 1100l pick-up-systems – interface according to DIN EN 840



Bleiche 4
 09456 Annaberg-Buchholz - GERMANY
 Phone: +49 (0) 37 33 - 5599 0 Fax: 5599 111
 Email: info@IVB-Umwelttechnik.com
 Web: www.IVB-Umwelttechnik.com

